


HUB

DESIGN CORE



MIRAGE[®]
Porcelain.Design.Sustainability

HUB

ESSENTIAL

**MOOD ESSENZIALE,
DALLA SPICCATÀ LINEARITÀ.**

NO-FRILLS, LINEAR MOOD.

ELEMENTARE MOOD MIT AUSGEPRÄGTER LINEARITÄT.

AMBIANCE ESSENTIELLE, À LA LINÉARITÉ PRONCÉE.

MOOD ESENCIAL CON LINEALIDAD MARCADA.

风格简约，线性凸显。



BEDROOM
P 6



STORE
P 8



OUTDOOR
P 10



LIVING ROOM
P 12



SPA
P 14

CONTEMPORARY ROUGH

**MOOD CONTEMPORANEO
CON ACCENTI RUSTICI.**

CONTEMPORARY MOOD WITH A COUNTRY ACCENT.

ZEITGEMÄSSE MOOD MIT RUSTIKALEN AKZENTEN.

AMBIANCE CONTEMPORAINE AVEC DES ACCENTS RUSTIQUES.

MOOD CONTEMPORÁNEO CON TOQUES RÚSTICOS.

风格时尚，仿古气息。



LIVING ROOM
P 20



BATHROOM
P 24

ELEGANT

MOOD ELEGANTE E SOBRIO.

ELEGANT, RIGOROUS MOOD.

ELEGANTE, DEZENTE MOOD.

AMBIANCE ÉLÉGANTE ET SOBRE.

MOOD ELEGANTE Y SOBRIO.

风格优雅而简约。



LIVING ROOM
P 28



COFFEE SHOP
P 32




BATHROOM
P 34


HUB

DESIGN CORE

SIZES



THICKNESSES



FINISHES

- NATURALE / NATURAL
- LAPPATA / SMOOTH
- STRUTTURATA / STRUCTURED
- SCALPELLATA
- BOCCIARDATA

WARM COLOURS

- UB 09 COMPACT
- UB 08 CLASS
- UB 07 TRAVEL
- UB 10 BRIGHT

COLD COLOURS

- UB 01 FOAM
- UB 02 PAGE
- UB 03 STORE
- UB 04 CONCEPT
- UB 05 URBAN
- UB 06 VOLUME



PAGE UB 02

BENCH
FOAM UB 01 SC SQ 600x600 / 24"x24"

FLOOR
PAGE UB02 NAT SQ 300x600 / 12"x24"



STORE UB 03

FLOOR


STORE UB 03 NAT SQ 1200x1200 / 48"x48"

WALL

BRIGHT UB 10 NAT SQ 1200x2780 / 48"x110"

BENCH

JURUPA MASTER JP 03 NAT SQ 200x1200 / 8"x48"



URBAN UB 05

WALL
GLOCAL CORTEN GC 21 SP SQ 1200x2780 / 48"x110"

OUTDOOR FLOOR
URBAN UB 05 SC SQ 600x600 / 24"x24"





COMPACT UB 09

FLOOR
COMPACT UB 09 NAT SQ 1200x1200 / 48"x48"

WALL
FOAM UB 01 SC SQ 150x600 / 6"x24"

TABLE
JEWELS GIOIA WHITE JW 13 LUC



URBAN UB 05

FLOOR AND STEPS
URBAN UB 05 SC SQ
600x600 / 24"x24"

WALL
URBAN UB 05 SC SQ
150x600 / 6"x24"

BENCH
JURUPA CAMP JP 04 NAT SQ
200x1200 / 8"x48"





WALL
URBAN UB05 SC SQ 150x600 / 6"x24"

BENCH
JURUPA CAMP JP04 NAT SQ 200x1200 / 8"x48"

SHELF
URBAN UB05 NAT SQ 600x600 / 24"x24"





CONCEPT UB 04

FIREPLACE
FOAM UB01 NAT SQ 1200x2780 / 48"x110"

FLOOR
CONCEPT UB04 NAT SQ 600x1200 / 24"x48"





WALL
FOAM UB01 NAT SQ 1200x2780 / 48"x110"

RECESS
FOAM UB01 SC SQ 150x600 / 6"x24"

FLOOR
CONCEPT UB04 NAT SQ 600x1200 / 24"x48"



TRAVEL UB 07

FLOOR

TRAVEL UB 07 NAT SQ 600x600 / 24"x24"

WALL

COMPACT UB 09 NAT SQ 150x600 / 6"x24"

SHELF

TRAVEL UB 07 NAT SQ 1200x2780 / 48"x110"

VANITY TOP

JURUPA WILD JP 04 NAT SQ 200x1200 / 8"x48"





FLOOR
CONCEPT UB 04 NAT SQ 600x600 / 24"x24"

TABLE
JEWELS GIOIA WHITE JW 13 LUC

CLASS UB 08

FLOOR
CLASS UB 08 LAPP SQ
600x600 / 24"x24"

WALL
FOAM UB 01 SC SQ
150x600 / 6"x24"





FLOOR
CLASS UB 08 LAPP SQ 600x600 / 24"x24"


WALL
FOAM UB 01 SC SQ 150x600 / 6"x24"



STORE UB 03

WALL
STORE UB 03 ST SQ 200x1200 / 8"x48"

DIFFERENTI EFFETTI MISCELATI RANDOM ALL'INTERNO DELLE SCATOLE
SEVERAL EFFECTS MIXED RANDOMLY INSIDE THE BOXES



VOLUME UB 06

FLOOR
VOLUME UB 06 NAT SQ
600x600 / 24"x24"

WALL
BRIGHT UB 10 NAT SQ
150x600 / 6"x24"
300x600 / 12"x24"


OUTDOOR WALL
STORE UB 03 SC SQ
150x600 / 6"x24"





FLOOR
VOLUME UB 06 NAT SQ 600x600 / 24"x24"

WALL
BRIGHT UB 10 NAT SQ 150x600 / 6"x24" - 300x600 / 12"x24"



HUB

UB 01 FOAM

6 mm
1200x2780 / 48"x110"
NAT SQ

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
SC SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ
SC SQ

300x300 / 12"x12"
NAT NO SQ

11 mm
300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 111 Grigio Argento

KERAKOLL 02 Grigio Luce

LATICRETE 88 Silver Shadow



HUB

UB 02 PAGE

6 mm
1200x2780 / 48"x110"
NAT SQ

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
SC SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ
SC SQ

300x300 / 12"x12"
NAT NO SQ

11 mm
300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 282 Grigio Bardiglio

KERAKOLL 04 Grigio Ferro

LATICRETE 78 Sterling Silver



HUB

UB 03 STORE

6 mm
1200x2780 / 48"x110"
NAT SQ

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

200x1200 / 8"x48"
ST SQ - MIXED EFFECTS

600x600 / 24"x24"
NAT SQ
SC SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ
SC SQ

75x600 / 3"x24"
NAT NO SQ - MIXED EFFECTS

300x300 / 12"x12"
NAT NO SQ

11 mm
300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 282 Grigio Bardiglio

KERAKOLL 04 Grigio Ferro

LATICRETE 78 Sterling Silver



HUB

UB 04 CONCEPT

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 728 Grigio Scuro

KERAKOLL 05 Antracite

LATICRETE 78 Sterling Silver



HUB

UB 05 URBAN

6 mm
1200x2780 / 48"x110"
NAT SQ

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

200x1200 / 8"x48"
ST SQ - MIXED EFFECTS

600x600 / 24"x24"
NAT SQ
SC SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ
SC SQ

75x600 / 3"x24"
NAT NO SQ - MIXED EFFECTS

300x300 / 12"x12"
NAT NO SQ

11 mm
300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 119 Grigio Londra

KERAKOLL 05 Antracite

LATICRETE 42 Platinum



HUB

UB 06 VOLUME

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 112 Grigio Medio

KERAKOLL 44 Cemento

LATICRETE 89 Smoke Grey



HUB

UB 07 TRAVEL

6 mm
1200x2780 / 48"x110"
NAT SQ

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
SC SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ
SC SQ

300x300 / 12"x12"
NAT NO SQ

11 mm
300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 112 Grigio Medio 

KERAKOLL 44 Cemento 

LATICRETE 89 Smoke Grey 



HUB

UB 08 CLASS

9 mm
1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 113 Grigio Cemento 


KERAKOLL 04 Grigio Ferro 

LATICRETE 78 Sterling Silver 



HUB

UB 09 COMPACT

 1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 114 Antracite 


KERAKOLL 48 Moka 

LATICRETE 35 Mocha 



HUB

UB 10 BRIGHT

 1200x2780 / 48"x110"
NAT SQ

 1200x1200 / 48"x48"
NAT SQ

600x1200 / 24"x48"
NAT SQ

600x600 / 24"x24"
NAT SQ
SC SQ
BC SQ
LAPP SQ

300x600 / 12"x24"
NAT SQ

150x600 / 6"x24"
NAT SQ

300x300 / 12"x12"
NAT NO SQ

STUCCHI CONSIGLIATI RECOMMENDED GROUTS

MAPEI 111 Grigio Argento 

KERAKOLL 02 Grigio Luce 

LATICRETE 88 Silver Shadow 



RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING
 ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
 RÉCAPITULATIF FORMATS ET EMBALLAGES
 SINÓPTICO DE FORMATOS Y EMBALAJES

FLOOR
 CONCEPT UB 04 NAT SQ 600x600 / 24"x24"

WALL
 CHARME WALLY 150x150 / 6"x6"

TOP
 TRAVEL UB 07 NAT SQ 1200x2780 / 48"x110"

		Mos. 36T* 300x300 12"x12"	Knit* 300x300 12"x12"	Slash Mix* 300x300 12"x12"	Layer* 300x600 12"x24"	Rope* 300x300 12"x12"	Battiscopa** 72x600 27/8"x24"	Gradino A** 300x600 12"x24"	Gradino A** 300x1200 12"x48"	Gradino G** 300x600 12"x24"	Gradino G** 300x1200 12"x24"	Gradino B 330x600 13 1/8"x24"	Gradino B 330x1200 13 1/8"x48"	Grad. B Ang. 330x330 13 1/8"x13 1/8"	
		DECORI - DECORS					PEZZI SPECIALI - SPECIAL PIECES								
Spessore - Thickness															
Superficie - Surface		NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	NAT	
FOAM UB 01		UG80	UG89	UH08	UH13	A	UJ57	A	A	A	A	A	A	A	
PAGE UB 02		UG81	UG90	UH09	UH14	A	UJ58	A	A	A	A	A	A	A	
STORE UB 03		UG82	UG91	UH10	UH15	A	UJ60	A	A	A	A	A	A	A	
CONCEPT UB 04		UG83	UG92	-	UH16	A	UJ61	A	A	A	A	A	A	A	
URBAN UB 05		UG84	UG93	UH11	UH17	A	UJ62	A	A	A	A	A	A	A	
VOLUME UB 06		UG85	UG94	-	UH18	A	UJ63	A	A	A	A	A	A	A	
TRAVEL UB 07		UG86	UG95	UH12	UH19	A	UJ64	A	A	A	A	A	A	A	
CLASS UB 08		UG87	UG96	-	UH20	A	UJ65	A	A	A	A	A	A	A	
COMPACT UB 09		UG88	A	-	UH21	A	UJ66	A	A	A	A	A	A	A	
BRIGHT UB 10		A	A	A	A	A	A	A	A	A	A	A	A	A	

Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто коробки	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Штуки в коробке	6	6	6	4	6	10	7	2	7	2	4	2	4	4
mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м в коробке	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complete Cajas / pallet completo Коробок в паллете	-	-	-	-	-	-	-	-	-	-	-	-	-	-
mq./pallet	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* **Decoro su rete** - Mesh-backed decoration - Dekor auf Netz - Décor sur filet - Decoración en red - Декор в сети
 ** **Finitura a becco di civetta** - One-round edge shaping - Ausführung mit Eckabrundung - Façonnage à bord rond - Acabado canto romo - Плитка с завалом



















CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques

Características técnicas | Технические характеристики | 技术特征

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERÍSTICAS TÉCNICAS CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA НОРМА ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值				
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征							
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING				
	SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING				
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING				
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING				
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING				
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%				
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm ² .	≠ 6 mm: S≥1100N R≥48 N/mm ² ≠ 9 mm: S≥2400N R≥48 N/mm ² ≠ 12 mm: S≥4.000N R≥48 N/mm ²				
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCES - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80				
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm ³	< 150 mm ³				
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUSSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENT DE DILATACIÓN TÉRMICA LINEAL - КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹				
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCES THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE				
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE				
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA				
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5				
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT				
			NAT LAPP ST BC SC					
	DM. 236/89 BCRA		> 0,40	> 0,55	-	-	-	-
	ASTM C1028		Wet SCOF > 0,60	> 0,60	> 0,60	> 0,60	> 0,60	> 0,60
	ANSI A137.1		Wet DCOF > 0,42	> 0,42	> 0,42	> 0,42	> 0,42	> 0,42
	AS 4586:2013		-	-	P2	P2	P5	P3
	DIN 51130		-	R9	R10	R10	R11	R11
	DIN 51097		-	-	A+B	A	A+B+C	A+B+C
	ENV 12633		≥ CL1	CL1	CL2	CL1	CL3	CL2
	UNI EN 13036 - 4:2011		≥ 36	-	-	-	-	-
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性							

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SpA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA

Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.
41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point
20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.
40 Burton Hills BLVD - Suite 200
Nashville - Tennessee (TN) - 37215
Ph. +1 615 386 7070
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai
Building 7 - Ground Floor
d3 Dubai Design District
United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai